

# PKM

The Construction's Medicine

**FixoSone**  
Building Beauty & Bonding Solution

Tile Adhesive

Epoxy Grout

Admix M-100

Tile Cleaner



## PKM Tech Corporation

The Construction's Medicine

 0120-6546306

[www.pkmtechcorp.com](http://www.pkmtechcorp.com)

## **Tile Adhesive** FixoStone M 01

### **Product Description:**

FixoStone Adhesive is a cementitious modified powdered. Tile adhesive to be mixed with water for fixing ceramic tile & stone. It create water proof barrier between two surfaces. It has excellent adhesion properties

### **Advantage:**

Ready to use, a single component product  
Excellent Adhesion, Low Shrinkage  
Accommodate physical & thermal Movements  
Suitable for new surface

**Coverage:** For 3mm bed thickness the coverage will be 4.5 to 5 kg/sq. meter with notched trowel.

**Note:** Depend on Surface undulation

**Pack Size:** 20Kg/Bag

**Colour:** Grey



**Tile Adhesive**  
**FixoStone M 01**

## **Tile Adhesive** FixoStone M 02

### **Product Description:**

FixoStone Adhesive is a polymer modified cementitious powdered. Tile adhesive to be mixed with water for fixing ceramic tile & stone. It create water proof barrier between two surfaces. It has excellent adhesion properties

### **Advantage:**

Ready to use, a single component product  
Excellent Adhesion, Low Shrinkage  
Accommodate physical & thermal Movements  
Suitable for tile on tile application

**Coverage:** For 3mm bed thickness the coverage will be 4.5 to 5 kg/sq. meter with notched trowel.

**Note:** Depend on Surface undulation

**Pack Size:** 20Kg/Bag

**Colour:** Grey



**Tile Adhesive**  
**FixoStone M 02**

## **Tile Adhesive** FixoStone M 03

### **Product Description:**

FixoStone Adhesive is a polymer modified cementitious powdered. It create water proof barrier between two surfaces. It has excellent adhesion properties Specially designed for heavy duty tile application to be mixed with water for installing ceramic tiles & stones for improved performance. this is an ideal product for tile over stone & old floor application.

### **Advantage:**

Ready to use, a single component product  
Excellent Adhesion, Low Shrinkage  
Accommodate physical & thermal Movements  
Suitable for New & Old surface

**Coverage:** For 3mm bed thickness the coverage will be 4.5 to 5 kg/sq. meter with notched trowel.

**Note:** Depend on Surface undulation

**Pack Size:** 20Kg/Bag

**Colour:** Grey & White



**Tile Adhesive**  
**FixoStone M 03**



**PKM Tech Corporation**

**0120-6546306**



## **Tile Adhesive** FixoStone M 04

### **Product Description:**

FixoStone Adhesive is a polymer modified cementitious powdered. It create water proof barrier between two surfaces. It has excellent adhesion properties Specially designed for heavy duty tile application to be mixed with water for installing ceramic tiles, Mosaics & stones for improved performance. this is an ideal product for old floor, water bodies & swimming pool application.

### **Advantage:**

Ready to use, a single component product  
Excellent Adhesion, Low Shrinkage  
Accommodate physical & thermal Movements  
Suitable for old surface & water Bodies

**Coverage:** For 3mm bed thickness the coverage will be 4.5 to 5 kg/sq. meter with notched trowel.

**Note:** Depend on Surface undulation

**Pack Size:** 20Kg/Bag

**Colour:** White



**Tile Adhesive**  
**FixoStone M 04**

## **FixoStone Grout**

### **Product Description:**

FixoStone Grout is a higher polymer modified cementitious water repellent tile grout use for internal & external application.

### **Advantage:**

High Compressive & flexural strength in sure  
Non-Dusting  
Easy to use & clean  
Strong bond  
Fast Setting

### **Suitable Substrate:**

Filling tile's joints in bathroom  
Kitchen, corridors & internal  
External Floor & wall Joints

**Coverage:** Depends on tile size joint & depth

**Applications:** Before Grouting mix sure that the tiles joints are clean & free of any loose particles, Remove Excess Grout using a sponge(45-60 Mins)

**Pack Size:** 1Kg/pack

**Colour:** Various Attractive Colours



**FixoStone Grout**

## **FixoStone Epoxy Grout**

### **Product Description:**

FixoStone epoxy grout is a three component suitable for industrial, residential & commercial Applications. Where material must resist physical abuse, shock & chemical Attack. It's Never been easier to keep your bath room & kitchen tile joints stain free and 100 % germ free.

### **Advantage:**

Antibacterial & Anti-fungal  
Colour fast  
Chemical Resistant  
Stain free  
Impact Resistant/ Fire Resistant/ Water Resistant

### **Suitable Substrate:**

Filling tile's joints in bathroom  
Kitchen, corridors high traffic  
area, Labs, Hospitals, Factory  
internal/External Floor & wall Joints

**Coverage:** Depends on tile size joint & depth

**Applications:** Before Grouting mix sure that the tiles joints are clean & free of any loose particles, Remove Excess Grout using a sponge(45-60 Mins)

**Pack Size:** 1.1Kg & 5 Kg per Pack

**Colour:** Various Attractive Colours



**FixoStone M-10**  
**Epoxy Grout**



[www.pkmtechcorp.com](http://www.pkmtechcorp.com)

+91-9350746306

## FixoStone Admixture M-100

### Product Description:

FixoStone Admixture M 100 is a high solid cement polymer for use in conjunction for modifying & water proofing cement. It also improves the durable bonds between tile & substrate

### Advantage:

- Strong bond
- Fast fixing
- Flexible
- Allow physical & thermal movements
- Excellent water proofing
- Thin bed 3 to 6 mm

**Pack Size:** 5 Lt. & 20 Lt

**Colour :** White



## FixoStone Tile Cleaner

### Product Description:

FixoStone Tile cleaner is a high quality acid & detergent based cleaner & degreasing solution for regular use on tiles in bathroom kitchen, bath tab, washbasin etc.

### Advantage:

- Keep Tiles New
- Remove Strains
- Germ Free
- Keeps Tile's Beauty

### Suitable Substrate:

- Ceramic Tiles
- Vitrified Tiles
- Stones
- Marbles

**Pack Size:** 1 Ltr. & 5 Ltr

**Coverage:** Up to 5-7 Sqm./Ltr. depends upon porosity of tiles



## PKM Tech Corporation

**Regn. Off:** C-239, Sector- 10, Noida

**E-Mail:** [Info@pkmtechcorp.com](mailto:Info@pkmtechcorp.com)

[pkmtechcorp@gmail.com](mailto:pkmtechcorp@gmail.com)

**Web:** [www.pkmtechcorp.com](http://www.pkmtechcorp.com)

